



2026 Trade Catalogue

• Gyproc® • Thistle® • Easifix • Artex • Blue Hawk • Weber • Dalapro

There are no others like us

Okarno is a leading distributor of some of the UK's most popular construction brands, including Gyproc, Thistle, and Weber.

Our portfolio brings together an extensive range of trade and DIY construction products, giving merchants, decorator centres, and DIY retailers everything they need in one place. From plaster and fillers to adhesives and finishing solutions, we deliver quality products backed by flexible, tailored service options.

With expert support, reliable supply, and a commitment to helping you work smarter, we go beyond distribution - we set the standard. Explore what we offer and discover why there are no others like us.



Okarno® Limited is a limited company registered in England under company number 04140239, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU. The owner of the trademarks has consented to their use by Okarno® Limited.

The information in this catalogue should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work.

01 Contents

	Introducing Okarno	Pages 4 - 5
	Our Service to you	Pages 6 - 17
	Filling and Repairing	Pages 18 - 25
	Taping and Jointing	Pages 26 - 31
	Plaster and Accessories	Pages 32 - 38
	Plasterboard and Ancillaries	Pages 40 - 48
	Cove and Accessories	Pages 50 - 55
	Texture	Pages 56 - 59
	Access Panels	Pages 60 - 62
	Render	Pages 64 - 69
	Cement and Mortar	Pages 70 - 73
	Service Charter	Pages 74 - 80



Decades of Dedication, A Future of Possibility.

At Okarno, we're proud of our heritage and excited about what's ahead. Our journey spans generations, but our focus remains firmly on delivering smarter, more sustainable solutions for tomorrow's construction needs.

In 2025, we celebrated our 90th anniversary and marked a major milestone with the 360th anniversary of our parent company, the Saint-Gobain Group, a global leader in construction and home improvement. This shared legacy of excellence continues to shape our future.

90
**YEARS OF
SERVICE**

BUILT AROUND YOU



A history shaped by innovation and heritage.

Founded in 1935 as Artex, we began with textured finishes that became staples in British homes. Over the decades, we have evolved through innovation, strategic mergers, and a strong focus on serving both trade and DIY markets.

In 2024, we rebranded to Okarno Ltd, reflecting our transformation into a dynamic fulfilment and supply chain partner for leading UK construction brands.

Today, we distribute trusted products from Gyproc, Thistle, Dalapro, Blue Hawk, Artex and Weber, backed by flexible delivery options and expert technical support. Our headquarters and distribution centre, both located in Ruddington, Nottingham, serve as dedicated hubs strategically positioned to deliver exceptional service and nationwide support for our customers.










We're proud of our heritage and are committed to becoming a net-zero business by 2050. At our head office and distribution centre, a biomass heating system helps cut carbon emissions by up to 150 tonnes annually, while part of our distribution

fleet has been upgraded to run on hydrotreated vegetable oil (HVO).

We've dedicated 3.2 acres to biodiversity, planting hundreds of trees, shrubs, and bulbs to support local wildlife, with plans to grow this initiative each year. These efforts reflect our commitment to achieving net-zero carbon emissions by 2050, in line with Saint-Gobain's global sustainability goals.

We're here to make life easier for both tradespeople and DIYers—through quality products, flexible delivery, and expert support. From pioneering textured finishes to introducing innovations like Dalapro Roll Nova, we're always looking ahead to what's next.

Our transformation from manufacturer to trusted fulfilment partner is driven by a delivery model designed for speed, flexibility, and reliability. As Okarno, we're redefining what it means to serve customers—because when it comes to fulfilment, there are no others like us.

 <p>1935</p> <p>Artex is born.</p> <p>We're the first to introduce textured finishes to the market.</p>	 <p>1970</p> <p>Blue Hawk is established, offering a range of DIY and repair products.</p>	 <p>1980</p> <p>Artex becomes a household name off the back of phenomenal growth.</p>	 <p>1990s</p> <p>We build the largest plant in the UK for producing decorative plaster mouldings.</p>	 <p>1997</p> <p>Artex merges with Blue Hawk to create a single building and home improvement company.</p>
 <p>2005</p> <p>Saint-Gobain acquires Artex and the BPB group, becoming part of the construction products division.</p>	 <p>2024</p> <p>Artex changes its name to Okarno - the same great business and the same great people, now with a new name.</p>	<p>90</p> <p>2025</p> <p>Okarno marks its 90th anniversary, aligning with Saint-Gobain celebrating 360 years of history</p>	 <p>NOW</p> <p>We flexibly deliver brands such as Gyproc, Thistle and Weber to builders merchants, decorator centres and DIY stores.</p>	 <p>NEXT</p> <p>We promise to keep innovating to meet the changing needs of our customers.</p>



02 | Our Service to You

There are no others like us

Our service gives you the ability to choose from single pallets, or mixed pallet loads, through to small parcels, to help you order what you need when you need it. You can find out more in our 'Delivery Options' section.

Keep in Touch

Page 8

Aftercare Support

Page 9

Delivery Options

Pages 10

Vehicle Options

Page 11 - 12

Your UK Sales Team

Page 13

Marketing Support

Pages 14 - 15

The House that Okarno Built

Pages 16 - 17



Our Service to You

Keep in Touch



Phone us

For orders, customer service and general enquiries: **0800 032 6345**

Monday to Friday 8:30am - 4:30pm

For delivery enquiries:

Monday to Friday 6am - 8pm

For Aftercare and claims: **07860 378044**

Monday to Friday 8:30am - 4:30pm



Email

General enquiries: okarno@saint-gobain.com

Aftercare: okarnoclaims@saint-gobain.com



Address

Okarno Limited, Head Office, Pasture Lane, Ruddington,
Nottinghamshire, NG11 6AE



Website

www.okarno.com

Connect with us



Okarno



@Okarno



@okarnoltd



@okarnoltd



Our Service to You

Aftercare Support

The company contracts solely upon its terms and conditions on pages 75 - 80

Prices

Prices are based on mainland deliveries within England, Wales and Scotland. All prices quoted are current prices at the time of delivery and are exclusive of VAT unless otherwise stated.

Prices are subject to change in the event of a general or specific revision. Our Trade Catalogue is not deemed an offer. The customer may place an order, the acceptance of which creates a contract binding with Okarno.

Claims Notification

If you are not satisfied with our products due to damage on delivery, incorrect quantities or the wrong product being supplied, please raise your delivery discrepancy claim with our Aftercare team **within 48 hours of delivery** using the contact details below.

To support your claim, and to help us to resolve it, please ensure you do the following:

At the time of delivery, inform your delivery driver, clearly marking the issue on your delivery paperwork/ electronic proof of delivery.

Please take photos of the delivery and any damages.

Product defects and price discrepancy

Where a product has quality defects, is not fit for purpose, or if there are documentation queries (e.g. incorrect price), please contact our Aftercare Team within 48 hours of your delivery, with photographic evidence.

Contact our Aftercare Team:

 07860 378044  OkarnoClaims@saint-gobain.com

Customer Returns Procedure

Goods may be returned, subject to agreement with Okarno, if:

- Goods have been damaged prior to, or on delivery.
- There is a quality issue with the products that needs investigating.
- Okarno has supplied the incorrect products. Please note that the only exception to this is where a customer has ordered a product in error.

Any requests for returns outside of the above please call our Aftercare Team who will review the request based on the products and the shelf-life. The Team will also advise you of any charges related to the return.

We value your feedback

Okarno is committed to be your expert distribution partner providing our unique and flexible delivery service, and we value your feedback. We aim to continuously improve the services and products we offer, and to adapt to your changing business requirements.

Our service improvements are driven by the voice of our customers. If you have any feedback about your service or experiences, we are here to listen.

Get in Touch:

Email: Samantha.Rankin@saint-gobain.com | Send a WhatsApp or call 07763 211009



Our Service to You

Delivery Options

We offer a range of delivery options to match your needs. These are listed below. If you need any guidance on how to get the most from your order, speak to our Customer Service Team, who will be happy to help.



Full pallet delivery

A variety of products are available to order in full pallet quantities, including plasters, plasterboards and jointing materials.

These products are identified by the pallet icon.



Mixed pallet delivery

For products available as a single unit or carton, you can mix and match onto a single pallet. This includes almost all products except plasterboard and 25kg plasters.

These products are identified by the mixed pallet icon.

Minimum order value	UK mainland	Islands¹
Delivery lead time	£400	£800
Lead time cut off	+4 working days	+7 working days
	Orders placed before 4.00pm	Orders placed before 4.00pm

Gyproc Express delivery



Gyproc Express is an easy way to order a selected range of products, using our 48 hour parcel delivery service.

These products are identified by the parcel icon.

Minimum order value (at invoice price)	£110 carriage paid
Max weight	200kg
Delivery lead time	UK mainland 48 hours (excluding weekends)
Lead time cut off	Orders placed before 1.00pm

¹ Includes the Scottish Islands, Isle of Man and the Channel Islands.



Vehicle options

With our fleet of over 50 FORS³ accredited vehicles, we have significantly improved the reliability, flexibility and safety of our deliveries on the road and to your site. Furthermore, we have continued to be a frontrunner in sustainable best practice by increasing our use of HVO (hydrogenated vegetable oil) rather than diesel across our vehicles.

To ensure we choose the right vehicle for your deliveries, we've highlighted the available options on the next page.

Self-offloading

If you're unable to self-offload, we can use a vehicle with a tail lift and pallet pump truck to offload on your behalf.

Access restrictions

If there are space and/or access restrictions getting to and on your site, we can send smaller vehicles to complete your delivery. Please let us know in advance of any orders.

When placing an order and providing delivery instructions, please note the following information will be required:

- Times and days that deliveries can be received
- If you require a delivery to be pre-booked
- Any special requests (e.g. if you need a smaller vehicle due to a low bridge nearby)

³ Fleet Operator Recognition Scheme.



Our Service to You Vehicle Options

Artic Lorry

Availability

Trailer length

Trailer height

Off-load

Access

Nationwide

13.6 metres

4.2 metres

Customer required to off-load pallet with their own forklift truck

Large vehicle, suitable where there are no access restrictions



Urban Artic Lorry

Availability

Trailer length

Trailer height

Off-load

Access

Nationwide

10.8 metres

4.0 metres

Off-loading with pallet pump truck via rear tail-lift

For use with access and space limitations



Rigid Lorry

Availability

Trailer length

Trailer height

Off-load

Tail lift restrictions

Access

Nationwide

9.1 metres

4.0 metres

Driver can assist with off-loading with a pallet pump truck via rear tail-lift

Maximum weight is 1000kg

Maximum length is 2.5 metres


For use with access and space limitations






Our Service to You
Your UK Sales Team

Wherever you are in the UK, our dedicated sales team are here to help. To find your local contact, simply scan the QR codes below and get the support you need.




Scotland




Midlands & East of England



South East & London



Wales & South West



MARKETING SUPPORT

Start making all the right noises in all the right places with Okarno marketing support.

Product training tools

We have several resources available to educate your staff and customers on the key uses and main benefits of our products. Our range of product videos are available on our **YouTube channel**, which can also be requested as a hard copy from your account manager.

Visit our YouTube channel [@okarnold](#)

We can also provide printed or digital flyers for your staff and customers to help them learn more about our product range.



Okarno.com

All of our contact details and product information are also available on our website, including the datasheets for our products.

Our How-to and News page contain articles on a range of topics from Okarno company news and product knowledge to market insights. Share these with your colleagues to gain a better understanding of our products and to keep up to date with the latest industry trends, and with your customers to help them learn about our products.



Visit our website www.okarno.com to see how our marketing support can help you and your customers

UPSKILL WITH BUILD BETTER ACADEMIES

The Build Better Academies are located throughout the UK and provide training for installers, resellers, distributors, site management teams, housebuilders, architects, specifiers, and designers.

They focus on educating participants about the products, solutions, and systems offered by British Gypsum, Isover, and Weber, ultimately helping the construction sector to make the world a better home.

Our courses cover a variety of elements, from installation to fault finding, from familiarity with using new products and solutions to developing new entrants.

We also offer a range of self-paced E-Learning, webinars, and virtual classrooms, meaning you can learn about our products, solutions, and systems wherever you are, and whenever you want.

To view and book upcoming courses, please visit <https://britishgypsum.arlo.co/w/> or scan the QR code.

Scan below



THE HOUSE THAT OKARNO BUILT

The House that Okarno Built shows how some of our products can be applied in practice. There are plenty more across our portfolio. Browse the following pages for all products we can supply to you.



Blue Hawk Mortar Mix

SEE PAGE **73**

Gyproc Moisture Resistant Plasterboard
SEE PAGE [43](#)

Gyproc EasiFill 20
SEE PAGE [21](#)

Gyproc Thermaline Basic Plasterboard
SEE PAGE [44](#)

Glasroc H Tilebacker Plasterboard
SEE PAGE [45](#)

Gyproc EasiPatch Plasterboard Patches
SEE PAGE [24](#)

weberpral M Coloured One-Coat Render
SEE PAGE [66](#)



Gyproc Soundbloc Plasterboard
SEE PAGE [43](#)

Thistle MultiFinish Plaster
SEE PAGE [36](#)

Blue Hawk Quick Set Cement
SEE PAGE [72](#)



Gyproc EasiFiller 1L
SEE PAGE [22](#)



Gyproc Handi-Access Panel
SEE PAGE [62](#)





03 | Filling and Repairing

Filling and Repairing

Pages 20 - 24

- Plasters 20
- Powder Filler 21
- Ready-Mixed Filler 22
- Roller-Applied Coverings & Accessories 23
- Wall Repair 24



THISTLE UNDERCOAT PLASTER

- Internal base coat plaster for small plastering jobs
- Ideal for patch repairs or filling chases
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814639	7.5	SU	100	1
5200814644	12.5	SU	72	1



THISTLE FINISHING PLASTER

- Internal finish coat plaster for small plastering jobs
- Ideal for smaller repairs
- Use over Thistle Undercoat Plaster or plasterboard backgrounds
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814637	7.5	SF	100	1
5200814642	12.5	SF	72	1



THISTLE ONE COAT PLASTER

- Convenient undercoat and finishing plaster in one
- Ideal for patch repairs
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814638	7.5	SO	100	1
5200814643	12.5	SO	72	1





GYPROC EASIFILL 60

- Powder filler, ideal for both bulk filling and finishing of joints
- 60 minutes working time
- The second coat can be applied after 130 minutes
- Conforms to EN 13963



Working time

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572338	5	X7	200	1
5200572331	10	X7	80	1



GYPROC EASIFILL 45

- Powder filler, ideal for small jointing jobs
- 45 minutes working time
- The second coat can be applied after 90-120 minutes
- Conforms to EN 13963



Working time

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572336	10	X7	80	1



GYPROC EASIFILL 20

- Powder filler, ideal for quick filling and snagging
- 20 minutes working time
- The second coat can be applied after 60 minutes



Working time

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572347	5	X7	200	1
5200572343	10	X7	80	1



GYPROC EASIFILL

- Multi-purpose powder filler for patching and repair
- Ideal for snagging and filling holes and cracks prior to decoration
- Convenient 1kg sachets reduce wastage and maintain product shelf-life



Working time

Order code	Size (kg)	Discount group	Min. order qty.
5200616713	1	X7	6
5200616715	5 x 1	X7	1





Filling and Repairing Ready-Mixed Filler



GYPROC EASIFILLER

- Multi-purpose ready-mixed filler for most internal repairs
- Sands to a smooth, fine finish

Order code	Size (litre)	Discount group	Min. order qty.
5200854788	1	RR	6
5200854868	2.5	RR	1



GYPROC EASIFILLER LIGHT

- Ultra lightweight ready-mixed filler for deep holes and cracks
- Low shrinkage with no slumping or cracking
- Simple application with no sanding needed

Order code	Size (litre)	Discount group	Min. order qty.
5200854874	1	RR	6
5200854875	2.5	RR	1



GYPROC EASIFILLER FINISH

- Extra fine ready-mixed surface filler for skimming over large areas
- Quickly covers large areas of light surface damage
- Requires minimal sanding
- Conforms to EN 15824

Order code	Size (litre)	Discount group	Min. order qty.
5200854876	3	RR	1





DALAPRO ROLL NOVA

- Grey, ready-mixed roller-applied wall covering
- Approx. 8-hour drying time and full coverage
- Suitable for small and light surface damage to plaster

Order code	Size (litre)	Discount group	Min. order qty.
5200943881	12	RP	1



DALAPRO SPEED MAX ROLLER

- Roller specifically designed for roller applied coverings, such as Dalapro Roll Nova
- A simple way to achieve a smooth, even result
- Holds more product to assist with faster application

Order code	Size (mm)	Discount group	Min. order qty.
5200947119	230 Roller	RP	6
5200947118	230 Sleeve	RP	5



Easy as 1,2,3.

Apply Dalapro Roll Nova in 3 simple steps.



Step 1 - Sand



Step 2 - Roll



Step 3 - Skim



Filling and Repairing Wall Repair



GYPROC EASIPATCH PLASTERBOARD PATCHES

- Pack of two self-adhesive plasterboard patches with aluminium plate and fibreglass mesh surround
- Permanent repair solution for holes and general damage to plasterboard and plastered surfaces
- Each patch will sufficiently cover a single socket or spotlight hole
- Plate size: 100mm x 100mm; full patch size including outer mesh: 150mm x 150mm

Order code	Size (mm)	Discount group	Min. order qty.
5200911776	100 x 100	PP	10



Easy as 1, 2, 3.

Apply Gyproc EasiPatch Plasterboard Patches in 3 simple steps.



Step 1 - Apply



Step 2 - Fill



Step 3 - Sand



EASIFIX WALL REPAIR KIT

- Universal wall repair kit for plaster or plasterboard walls
- Repairs deep holes, dents and small cracks
- Contains 2 x 500g filler, sanding block, filling knife and a plasterboard repair patch, all within a handy mixing bucket
- Kit will fill up to 4m² at 2-3mm depth and repair one single socket-sized hole

Order code	Size (kg)	Discount group	Min. order qty.
5200645350	1	RK	1





**LOOKING FOR
CEMENT AND MORTAR?**



GO TO PAGE 71



04 | Taping and Jointing

Taping and Jointing

Pages 28 - 31

- Joint Filler and Compounds 28
- Self-Adhesive Tapes 29
- Self-Adhesive Tapes and Paper Tapes 30
- Corner Tapes and Beads 31

**GYPROC JOINT FILLER**

- Gypsum-based setting material for bulk and secondary filling of plasterboard joints
- Low shrinkage for hand application, with 60 minutes working time
- Used in stages 1 and 2 of traditional 3-stage jointing process
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200004445	12.5	JF	80	1

**GYPROC QUICKSAND**

- Air-drying powdered jointing material for the finishing stage
- Use over Gyproc Joint Filler in hand jointing, or for all application stages with mechanical jointing tools
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200572328	25	JC	40	1

**GYPROC PROMIX LITE**

- A ready-mixed jointing compound used for achieving seamless plasterboard joints and angles
- Ideal to hand apply as a finish over Gyproc Joint Filler, or for all stages of filling and tape bedding using mechanical jointing tools
- Because it's ready to use, you don't need to worry about access to water on site
- Conforms to EN 13963

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200946424	20	PM	40	1





GYPROC FIBATAPE PERFECT FINISH

- Self-adhesive fibreglass mesh tape with a tighter mesh weave that is 30% thinner than standard tape
- The ultra-thin tape makes it easy to conceal square and butt-edge plasterboard joints
- 48mm width x 90m length

Order code	Length (m)	Discount group	Min. order qty.
5200672379	90	FT	12



GYPROC FIBATAPE XTREME

- Self-adhesive fibreglass mesh tape with increased glue for high performance
- Extra sticky so it can perform in extreme temperatures (5 - 35°C)
- 48mm width x 90m length

Order code	Length (m)	Discount group	Min. order qty.
5200672381	90	FT	12



GYPROC FIBATAPE XTREME XTRAWIDE

- Extra wide self-adhesive fibreglass mesh tape for greater coverage
- Extra sticky so it can perform in extreme temperatures (5 - 35°C)
- 100mm width x 75m length

Order code	Length (m)	Discount group	Min. order qty.
5200877525	75	FT	6



GYPROC FIBATAPE CLASSIC

- Self-adhesive fibreglass mesh tape
- Ideal for both tapered and square-edge plasterboard joints
- 48mm width x 90m length

Order code	Length (m)	Discount group	Weight (kg)	Min. order qty.
5200672378	90	FT	3.48	12





THISTLE PROTAPE FT50

- Self-adhesive fibreglass mesh tape
- 48mm width x 90m length
- For reinforcing flat joints to skim finishes on plasterboard

Order code	Length (m)	Discount group	Min. order qty.
5200666421	90	JT	24



GYPROC JOINT TAPE

- Paper tape designed for reinforcing flat joints and internal angles in both manual and mechanical jointing systems
- Centre crease for easy folding when taping angles
- 48mm width x 150m length
- Conforms to EN 13963

Order code	Length (m)	Discount group	Min. order qty.
5200866392	150	JT	10





GYPROC CORNER TAPE

- Paper joint tape bonded to two corrosion resistant metal strips for reinforcing external angles
- Ideal for external angles that are not 90°
- 48mm width x 30m length
- Conforms to EN 13963

Order code	Length (m)	Discount group	Min. order qty.
5200027605	30	CT	5



GYPROC LEVELLINE CORNER TAPE

- Tough corner tape that prevents cracks and dents to joints
- Built-in flexible hinge follows any angle for clean looking, hard-wearing internal or external corners
- Extra wide to cover framing issues
- 70mm width x 30m length

Order code	Length (m)	Discount group	Min. order qty.
5200864770	30	CT	12



GYPROC AQUABEAD

- Water-activated adhesive bead for fast installation
- Provides external corner protection for plasterboards
- Ideal for high traffic areas

Order code	Length (mm)	Discount group	Min. order qty.
5200689756	2500	AB	50
5200689757	2700	AB	50
5200689758	3000	AB	50





Designed for
THE PROFESSIONAL

ThistlePro Magnetic

A skim finish plaster that
adheres to magnetic wall surfaces



REPAIR RANGE

Thistle Bonding

Sets in 60 minutes
Skim in 75 minutes
Ideal for chases and patching



REPAIR RANGE

Thistle Bonding 60

Sets in 60 minutes
Skim in 75 minutes
Ideal for chases and patching

10kg



British Gy

05 | Plaster and Accessories

Plaster and Accessories

Pages 34 - 38

• Plasters	34 - 35
• Finishing Plasters	36
• Speciality Plasters	37
• Sealer	38
• Pre-Treatment	38
• Metal Bead	38



Plasters



THISTLE UNDERCOAT PLASTER

- Internal base coat plaster for small plastering jobs
- Ideal for smaller patch repairs or filling chases
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814639	7.5	SU	100	1
5200814644	12.5	SU	72	1



THISTLE FINISHING PLASTER

- Internal finish coat plaster for small plastering jobs and repairs
- Use over Thistle Undercoat Plaster and plasterboard backgrounds
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814637	7.5	SF	100	1
5200814642	12.5	SF	72	1



THISTLE ONE COAT PLASTER

- Convenient undercoat and finishing plaster in one
- Ideal for patch repairs
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814638	7.5	SO	100	1
5200814643	12.5	SO	72	1





THISTLE BONDINGCOAT

- For low suction backgrounds such as concrete, plasterboard and surfaces treated with bonding agents (e.g. Thistle Bond-it)
- 2.75m² coverage per bag based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006055	25	UC	56	56*



THISTLE BONDING 60

- Quick setting undercoat plaster designed for patching and general repair
- Based on Thistle BondingCoat with a 60 minute set time
- 1.1m² coverage per 10kg tub, and 2.75m² per 25kg bag based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200029720	10	PU	20	1
5200029718	25	UC	20	20*



THISTLE HARDWALL

- Quick drying undercoat plaster with high impact resistance - ideal for most masonry backgrounds
- Suitable for both mechanical and hand application
- 3m² coverage per bag, based on 11mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006110	25	UC	45	45*



***Available as full pallets only. Pallets cannot be split for these products.**



THISTLE MULTIFINISH

- Versatile finishing plaster, ideal for undercoat plaster and plasterboard backgrounds
- Provides a seamless finish prior to decoration
- 10m² coverage per bag based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006058	25	FN	56	56*



THISTLE BOARDFINISH

- For low to medium suction backgrounds, such as plasterboard and cement-based undercoats
- Provides a seamless finish prior to decoration
- 10m² coverage per bag based on 2mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200006059	25	FN	56	56*



THISTLEPRO FASTSET FINISH

- Rapid setting finishing plaster for use on undercoated plaster and plasterboard backgrounds
- Sets in just 60 minutes - to get plastering jobs done faster
- Predictable every time - no flash sets or waiting for gauges to go off
- Easy to apply and leaves a smooth finish
- 10m² coverage per bag based on 2mm thickness

Order code	Size (kg)	Discount group	Pallet qty.
5200030761	25	PF	28*



***Available as full pallets only. Pallets cannot be split for these products.**



THISTLEPRO MAGNETIC

- Finishing plaster that attracts magnets
- Ideal for gallery or noticeboard walls where displays are changed regularly – no fuss, no mess
- 5m² coverage per bag based on 3mm thickness
- Conforms to EN 13279-1

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200648403	25	PF	24	1





Plaster and Accessories Sealer



ARTEX SEALER

- General purpose sealer for use on plasterboard, plaster and other porous surfaces prior to decoration
- Up to 75m² coverage per tub, diluted

Order code	Size (litre)	Discount group	Min. order qty.
5200572315	2.5	PS	1



Pre-Treatment



THISTLE BOND-IT

- Bonding agent for pre-treatment of smooth and low suction backgrounds
- Contains aggregate to provide a mechanical and chemical key
- Apply in one coat, by roller or brush, and plaster when dry
- 45m² coverage per tub

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572313	10	PT	48	1



Metal Bead



THISTLE THIN COAT ANGLE BEAD

- A galvanised steel 'thin coat' bead with perforated 30mm wide wings
- Ideal for reinforcing external angles in 2mm plaster finishes
- Conforms to EN 13658-1

Order code	Length (mm)	Discount group	Min. order qty.
5200009019	3000	XU	50



GO TO
PAGE 23

SIMPLE APPLICATION FOR A SMOOTH FINISH

A ready-mixed roller-applied wall covering for smoothing over walls before decorating.



Ready to use, straight from the tub



Roll directly onto the surface



Smooth, leave to dry and lightly sand



Scan to see Dalapro Roll Nova in action!

Experience multiple benefits with Dalapro Roll Nova

- Roller-applied wall covering that covers approx. 12 square metres
- Suitable for skimming over a variety of substrates, giving a professional finish, prior to decorating
- Smooth consistency for roller application
- 12 litre re-sealable tub minimises waste
- Approx. 8-hour drying time





Jointing

Gyproc®

Drywall Sealer

Specially formulated sealer providing vapour control and a superior finish on plasterboards.

10 Litres



Roller application



15kg/33lb

06 | Plasterboard and Ancillaries

Plasterboard and Ancillaries

Pages 42 - 48

• Plasterboards	42
• Performance Plasterboards	42 - 44
• Specialist Plasterboards	45
• Adhesive	45
• Firestrip	45
• Sealant	46
• Surface Treatment	46
• Gypframe Metal	47 - 48



Enhanced fire performance



Enhanced acoustic performance



Enhanced moisture performance



Enhanced thermal performance



Plasterboards



GYPROC WALLBOARD

- Standard gypsum plasterboard for walls and ceilings
- Complies with EN 520

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001677	Square	9.5	900	1800	SP	100
5200001497	Square	9.5	1200	2400	SP	90
5200001015	Square	12.5	900	1800	SP	80
5200001810	Square	12.5	1200	2400	SP	72
5200011265	Tapered	9.5	900	1800	SP	100
5200001952	Tapered	9.5	1200	2400	SP	90
5200001755	Tapered	12.5	900	1800	SP	80
5200001129	Tapered	12.5	1200	2400	SP	72
5200011279	Tapered	15	1200	2400	SP	50



GYPROC HANDIBOARD

- Small and easy to transport 1.2m gypsum plasterboard
- Ideal for repair and compatible with 16" (405mm) and 24" (610mm) joist centres
- Complies with EN 520

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200011462	Square	9.5	900	1220	SP	102
5200011465	Square	12.5	600	1220	SP	156



Performance Plasterboards



GYPROC FIRELINE

- Gypsum plasterboard with fire resistant additives
- Ideal for loft conversions, stairs, hallways and garages
- Conforms to EN 520 Type F Thermal

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001919	Square	12.5	1200	2400	PE	60





GYPROC SOUNDBLOC

- Gypsum plasterboard with a high density core for enhanced sound insulation performance
- Complies with EN 520 - Type D

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200027267	Tapered	12.5	1200	2400	PE	56



GYPROC MOISTURE RESISTANT

- Gypsum plasterboard with moisture resistant additives in the core
- Ideal for providing a base for tiling
- Complies with EN 520 - Type A, H1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001018	Tapered	12.5	1200	2400	PE	60



GYPROC MOISTURE RESISTANT HANDIBOARD

- Moisture resistant
- Recommended for use in areas with intermittent moisture, e.g. kitchens and bathrooms
- Small and easy to transport 1.2m
- Complies with EN 14190

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200814633	Square	12.5	600	1200	PE	112



GYPROC WALLBOARD DUPLEX

- Backed with a vapour control membrane
- Creates a permanent barrier to stop condensation forming between cold and warm air
- Complies with EN 14190

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200001690	Square	12.5	1200	2400	PE	72





GYPROC THERMALINE BASIC

- Gypsum plasterboard bonded to an expanded polystyrene insulate, providing thermal insulation
- Ideal for a basic level of thermal insulation e.g. garages or cold external walls
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200002151	Tapered	22	1200	2400	PE	40



GYPROC THERMALINE PLUS

- Gypsum plasterboard with integral vapour control layers, providing an intermediate level of thermal insulation
- Provides a higher level of thermal insulation compared to Gyproc ThermaLine Basic
- Complies with EN 13950

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200002165	Tapered	27	1200	2400	PE	30





GLASROC H TILEBACKER

- Non-combustible glass-reinforced gypsum plasterboard with a pre-primed water-resistant acrylic coating on one side to receive tiling
- Ideal for areas of frequent exposure to water and moisture, including kitchens and bathrooms
- Conforms to EN 15283-1

Order code	Edge	Thickness (mm)	Width (mm)	Length (mm)	Discount group	Pallet qty.
5200028517	Square	6	1200	900	SB	32
5200028515	Square	6	1200	2400	SB	32
5200027696	Square	12.5	1200	900	SB	64
5200027693	Square	12.5	1200	2400	SB	32



Adhesive



GYPROC DRIWALL ADHESIVE

- A gypsum-based adhesive for fixing plasterboards to masonry walls
- Suitable for high, medium or low suction backgrounds
- Conforms to EN 14496

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814640	10	FA	100	1
5200009469	25	FA	56	1



Firestrip



GYPROC FIRESTRIP 3600

- Makes buildings safer by stopping fire from spreading through deflection heads within British Gypsum systems
- Expands to seal gaps at deflection heads
- Easily fit the soft 3mm sealer

Order code	Weight (kg)	Discount group	Min. order qty.
5200909007	2.7	TA	420 Boxes





Plasterboard and Ancillaries

Sealant



GYPROC SEALANT

- Acrylic sealant helps you achieve quieter, more comfortable spaces
- Stop air leaking through partition systems
- Can also be used as an adhesive for fixing thermal laminates directly to plaster backgrounds

Order code	Weight (kg)	Discount group	Min. order qty.
5200856167	1.02	TA	1080



Surface Treatment



GYPROC DRYWALL SEALER

- A specially formulated primer/sealer, which provides vapour control and a superior durable finish when applied in two coats
- Suitable for decoration with paints and most wall coverings
- Coverage: 150m² (1 coat), 70m² (2 coats)

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572330	10	ST	48	1




GYPROC DRYWALL PRIMER

- A general purpose plasterboard primer
- Provides an ideal surface for decoration with most paints and wall coverings
- Coverage: 150m² per tub

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200572329	10	ST	48	1





- GypFrame Partitioning is ideal for building non-loadbearing partitions
- Light, quick and simple to use
- Will not twist or warp



GYPFRAME 50 FEC 50 FOLDED EDGE STANDARD FLOOR & CEILING CHANNEL

- Horizontal support for floors and ceilings
- Includes a safer working edge on the lip of the channel
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200534085	3000	XV	10



GYPFRAME 48 S 50 'C' STUD

- Vertical support clicks into the channel to form a partition wall
- Includes sight lines to help board alignment and increase profile strength
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200009125	3000	XV	10



GYPFRAME FEA1 FOLDED EDGE STEEL ANGLE


- Steel angle providing framing stability and board support
- Useful for strengthening wall, ceiling and encasement framing.

Order code	Length (mm)	Discount group	Min. order qty.
5200027651	2900	XV	10






GypFrame Metal



- GypLyner Wall Lining is ideal for correcting uneven walls or adding insulation
- Can also be used for creating a void for pipes or cables



GYPFRAME GL8 TRACK

- A horizontal support for floors and ceilings
- GL1 Channel is positioned inside the track
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200009040	3600	XV	10



GYPFRAME GL1 CHANNEL

- Vertical support channel clicks into the track
- Ideal for solid brick or blockwork walls
- Conforms to EN 14195

Order code	Length (mm)	Discount group	Min. order qty.
5200004671	3000	XV	10





GET YOUR HANDS ON THE BEST BRANDS. QUICKLY.

Gyproc®

Thistle®

weber
saint-gobain

BLUE HAWK

Artex

easifix

Dalapro®

WITH OUR FLEXIBLE SERVICE DELIVERY OPTIONS



Full pallet delivery
From **£400 MOV***

Mixed pallet delivery
From **£400 MOV***

Express parcel delivery
£110 MOV*

Interested in becoming a stockist?
Email: okarno@saint-gobain.com

Prices Exclude VAT. Minimum Carriage Applies. Terms & conditions apply. Pallet delivery areas: UK Mainland and Highlands & Islands. Gyproc Express delivery areas: UK Mainland only. Max. weight for Gyproc Express: 200kg. Terms & conditions apply.

*MOV = Minimum Order Value



07 | Cove and Accessories

Cove and Accessories


Pages 52 - 54

- Cove and Cornice 52
- Cove 53
- Accessories 54



GYPROC COVE 100

- Paper-faced plaster cove
- 100mm profile
- Conforms to EN 14209




Order code	Profile	Length (m)	Discount group	Pallet qty.	Min. order qty.
5200008036	C	3	CV	528 (88 cartons)	18 (3 cartons)



GYPROC COVE 127

- Paper-faced plaster cove
- 127mm profile
- Conforms to EN 14209




Order code	Profile	Length (m)	Discount group	Pallet qty.	Min. order qty.
5200008037	C	3	CV	378 (63 cartons)	18 (3 cartons)
5200008677	C	3.6	CV	360 (72 cartons)	15 (3 cartons)



GYPROC CORNICE 135

- Paper-faced plaster cornice
- 135mm profile
- Conforms to EN 14209



Order code	Profile	Length (m)	Discount group	Pallet qty.	Min. order qty.
5200008031	S	3	CO	336 (56 cartons)	18 (3 cartons)



* Delivery specifications


For cove and cornice, delivery is at kerbside. Drivers can assist with unloading but are unable to deliver into store.

For mixed pallet orders, cove and cornice are delivered on a separate pallet, due to product length and the delivery specifications above.



EASIFIX 100MM COVE

- Paper-faced plaster cove
- 100mm profile
- Conforms to EN 14209




Order code	Profile	Length (m)	Discount group	Min. order qty.
5200602174	C	2	X6	6 (1 carton)



EASIFIX 127MM COVE

- Paper-faced plaster cove
- 127mm profile
- Conforms to EN 14209



Order code	Profile	Length (m)	Discount group	Min. order qty.
5200602175	C	2	X6	6 (1 carton)



* Delivery specifications

For cove and cornice, delivery is at kerbside. Drivers can assist with unloading but are unable to deliver into store.

For mixed pallet orders, cove and cornice are delivered on a separate pallet, due to product length and the delivery specifications above.



GYPROC COVE ADHESIVE

- Adhesive for fixing Gyproc Cove and Cornice

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200814636	5	X4	195	1
5200814641	12.5	X4	80	1



EASIFIX PRE-MITRED CORNERS

- Pre-cut lengths of cove to make 4 corners in a room (8 pieces), removing the need to mitre
- Internal corner packs for a standard room
- Internal and external corner packs for rooms with a chimney breast
- Conforms to EN 14209

Order code	Size (mm)	Corner	Discount group	Min. order qty.
5200617531	100	Internal	X5	1
5200617295	100	Internal and external	X5	1
5200617293	127	Internal	X5	1
5200617487	127	Internal and external	X5	1



GYPROC COVE MITRE BOX

- Pack of 4
- Compatible with 100 and 127 Gyproc Cove

Order code	Suitable for	Discount group	Min. order qty.
5200180398	100, 127	TA	4 (1 pack)



EASIFIX UNIVERSAL MITRE BLOCK

- Pack of 2
- Mitre block for cutting 100mm and 127mm cove, and 135mm cornice

Order code	Suitable for	Discount group	Min. order qty.
5200605098	100, 127, 135	X5	2





**IN NEED OF
FILLERS?**



GO TO PAGE 19

Artex

Ready mixed

**TEXTURED
FINISH**

FOR TEXTURING
WALLS & CEILINGS



Artex

Powder

**TEXTURED
FINISH**

FOR CREATING OR SMOOTHING
OVER TEXTURED PATTERNS

RED FINISH

08 | Texture

Texture

Pages 58 - 59

- Interior Texture 58
- Texture Accessories 58 - 59



Texture

Interior Texture



ARTEX TEXTURED FINISH

- Universal texture for use on walls and ceiling
- Coverage is 6-10m² per 5kg bag and 30-50m² per 25kg bag, depending on pattern and thickness
- Conforms to EN 15824

Order code	Size (kg)	Discount group	Min. order qty.
5200572332	5	XT	1
5200572306	25	XT	1*



*Only available via pallet delivery.



ARTEX READY-MIXED TEXTURED FINISH

- Ready mixed - use straight from the tub
- Suitable for areas exposed to humidity, such as kitchens and bathrooms
- Coverage is 8-12m² per tub, depending on pattern and thickness
- Conforms to EN 15824

Order code	Size (litre)	Discount group	Min. order qty.
5200572310	5	TX	1



Texture Accessories



ARTEX TEXTURE REPAIR

- Moisture-resistant patching texture
- Perfect for repairing damaged textured ceilings and walls
- Covers 2.4m² - 3.6m² depending on pattern
- Can be diluted
- Conforms to EN 15824

Order code	Size (litre)	Discount group	Min. order qty.
5200576380	1.5	TX	4





EASIFIX TEXTURE REPAIR KIT

- Repairs damage to existing textured walls and ceilings
- Contains 1.5kg texture, texturing brush and mixing tool, all within a handy mixing bucket
- Repairs 1.8-3m² depending on texture design and thickness

Order code	Size (kg)	Discount group	Min. order qty.
5200645349	1.5	RK	1





09 | Access Panels

Non Fire Rated Panels

Pages 62

- Handi-Access Panels

62



Non Fire Rated Panels



GYPROC HANDI-ACCESS PANELS

- Versatile plastic panel, which is simple to install
- For use principally in plasterboard walls where there is a need to create or maintain access to plumbing, electrical or HVAC services

Order code	Size (mm)	Discount group	Min. order qty
5200118673	235 x 150	XS	10 (1 carton)
5200118674	300 x 300	XS	10 (1 carton)





**LOOKING FOR
PLASTERBOARD?**



GO TO PAGE 41

Coloured
one-coat
render

weberpral M



weber

10 | Render

Render

Pages 66 - 69

- Monocouche Render 66 - 67
- Stipple Coat Render 67
- Render Finishes 67
- Render Mesh Cloth 68
- Accessories 68 - 69



Render

Monocouche Render



WEBERPRAL M

- A one coat cementitious and through-colour monocouche render
- Suitable for most types of brick and blockwork
- Available in 25kg bags

Order code	Colour		Discount group	Pallet qty.	Min. order qty.
5200845046	Chalk		RN	40	20
5200845047	Ivory		RN	40	20
5200847334	Silver Pearl		RN	40	20
5200847337	Cream		RN	40	20
5200844212	Beige		RN	40	40
5200847345	Light Beige		RN	40	40
5200847338	Limestone		RN	40	40
5200847346	Sand		RN	40	40
5200847339	Cornish		RN	40	40
5200847347	Parchment		RN	40	40
5200847348	Buff		RN	40	40
5200847340	Mushroom		RN	40	40
5200847349	Light Blue		RN	40	40
5200847350	Azure Blue		RN	40	40
5200847351	Pearl Grey		RN	40	40
5200847352	Granite Grey		RN	40	40
5200847341	Graphite		RN	40	40
5200847342	Stone Grey		RN	40	40
5200847353	Ocre Rose		RN	40	40
5200847343	Earth		RN	40	40
5200847354	Rose		RN	40	40
5200847355	Brick Red		RN	40	40
5200847344	Earth Red		RN	40	40
5200847356	Sage Green		RN	40	40



These colour representations are as close as printing techniques permit. Final selection against an actual sample is strongly recommended.

Please note

We offer a mixed and full pallet service for Chalk, Ivory, Silver Pearl and Cream monocouche renders. All other variants are delivered as full pallets



Render

Monocouche Render



WEBEREND OCR

- A pump or hand applied base coat render
- Applied in one coat, providing results equivalent to traditional two coat renders
- Ideal as a base for decorative finishes such as cullamix tyrolean and weberplast TF
- Available in 25kg bags

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200845048	25	RN	40	1



Stipple Coat Render



WEBEREND AID

- Polymer modified cement and sand stipple render mix
- Used as a key coat before applying an exterior render
- Includes an integral bonding agent so it requires only the addition of clean water on site

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200844209	25	RN	40	1



Render Finishes



CULLAMIX TYROLEAN

- A coloured render to be applied onto a base coat, giving an open honeycomb tyrolean finish
- Available in 25kg bags

Order code	Colour	Discount group	Pallet qty.	Min. order qty.
5200845049	White	RN	40	1
5200845050	Ivory	RN	40	1





Render

Render Mesh Cloth



WEBER MESH CLOTH

- An open-weave glass fibre mesh cloth
- Alkaline resistant
- Roll is 1m width x 50m length

Order code	Length (m)	Discount group	Min. order qty.
5200853001	50	RN	1



Accessories



WEBER ACCELERATOR

- Liquid setting accelerator solution for monocouche through-coloured renders
- May be used to reduce the time of scrape for through-coloured monocouche renders
- Ideal for use when hand mixing or using a diesel driven render pump

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200949201	20	RN	26	1





WEBEREND PROTECT

- Highly water repellent coating which improves weather resistance
- Prevents build-up of dirt and other contaminants on your render
- Weberend protect resists water ingress


Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200949200	5	RN	160	1
5200949280	25	RN	24	1



WEBEREND BEAD ADHESIVE

- Specifically designed for the rapid fixing of corner beads, drip beads, stop beads and expansion beads
- Fix render profile beads to virgin masonry substrates
- Sufficiently set within two hours

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200949281	20	RN	50	1



WEBER PVC BEAD 15MM

Order code	Bead type	Size (mm)	Discount group	Pallet qty.	Min. order qty.
5200949286	Centre Bead	15	RN	N/A	1
5200949412	Expansion Bead	15	RN	N/A	1
5200949283	Drip Bead	15	RN	N/A	1
5200949411	Stop Bead	15	RN	N/A	1



WEBER CL150

- Water-based render & brick cleaner
- Can be used as an algae treatment
- It is used to kill green, black and other organic growths on walls and other masonry

Order code	Size (litre)	Discount group	Pallet qty.	Min. order qty.
5200949284	5	RN	80	1





MORTAR MIX

Ideal for bricklaying, pointing and general repair work

For interior and exterior use
Setting Time 60-90 minutes
Water resistant
Simply mix the contents, then just add water**



QUICK SET CEMENT

Ideal for fixing brackets and drainage grates, and for small repairs to masonry including steps, paths and ponds.



QUICK SET CEMENT

Ideal for fixing brackets and drainage grates, and for small repairs to masonry including steps, paths and ponds.

5kg

11 | Cement and Mortar

Cement and Mortar

Pages 72 - 73

- Cement and Mortar Mix 72 - 73
- Floor Screed 73



BLUE HAWK QUICK SET CEMENT

- Quick-setting Portland cement for exterior and interior building projects
- Ideal for fixing brackets and for small repairs to masonry, such as steps and paths
- Works under water, so also suitable for repairing ponds or drainage grates
- Conforms to EN 1504-3

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104281	2.5	X3	300	6



BLUE HAWK QUICK SET CEMENT BUCKET

- Quick-setting Portland cement for exterior and interior building projects
- Ideal for fixing brackets and for small repairs to masonry such as steps and paths
- Works under water, so also suitable for repairing ponds and drainage grates
- Ready-to-mix in a handy tub
- Conforms to EN 1504-3

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200569595	5	X3	125	1





Cement, Mortar and Concrete

Cement and Mortar Mix



BLUE HAWK MORTAR MIX

- Dry mortar mix. Includes one bag of sand and one bag of cement that can be mixed together with water to the desired consistency
- Ideal for bricklaying, pointing, concrete and masonry repairs, and laying paths or bedding slabs
- For interior and exterior use
- Conforms to EN 998-2

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200104435	5	X3	150	1
5200104872	10	X3	75	1
5200104107	20	X3	50	1



Floor Screed



WEBERFLOOR FIBRE RAPID 4320

- Rapid drying, self-smoothing base and renovation screed
- Can be applied to depths of 5-50mm
- Suitable for use in residential and commercial areas

Order code	Size (kg)	Discount group	Pallet qty.	Min. order qty.
5200947507	25	TF	40	1





12 | Service Charter

Terms and Conditions

Pages 76 - 80



This document sets out the terms and conditions of purchase agreed between Okarno limited and the supplier for the provision of goods and services and the supplier acknowledges receipt of a copy of these terms and their incorporation into the contract.

1. Definitions

In these conditions "Okarno" shall mean Okarno Limited; "the Goods" shall mean the products supplied or to be supplied by Okarno under any Contract; "the Customer" shall mean the company firm or person buying the Goods from Okarno under any Contract and "Contract" shall mean any contract between Okarno and the Customer for the sale and purchase of Goods.

2. Application of conditions

All Goods supplied by Okarno are supplied on the following terms and conditions to the exclusion of all other terms and conditions including any variation of those terms and conditions which the Customer may seek to impose whether or not the Customer's conditions are contained in any other acceptance or counter offer made by the Customer. Variations shall not have effect unless expressly accepted by a Director of Okarno in writing.

3. Quotations

All quotations given by Okarno are subject to acceptance by Okarno on receipt of the Customer's order. A Contract will only be formed when Okarno has accepted the Customer's order.

4. Accuracy of Description of Goods

All descriptions specifications drawings and particulars of weights and dimensions submitted by Okarno or otherwise contained in Okarno's price list or other published matter are provided by Okarno in the belief that they are as accurate as reasonably possible but none of these shall form part of any Contract and shall not constitute a description of the Goods or be taken to be representations made by Okarno and are not warranted to be accurate.

5. Price

All prices quoted are Okarno's current prices at the time of delivery and are exclusive of VAT unless otherwise stated. The price payable for the Goods shall be the price ruling at the date of delivery and Okarno shall be entitled to adjust the price of the Goods at any time between the date of the order and the date of delivery of the Goods to take account of any increase in costs incurred by Okarno or changes in Okarno's price list.

6. Delivery

6.1 Delivery shall be deemed to have been effected:

6.1.1 Where the Goods are carried in a vehicle owned by Okarno or in a vehicle owned by a carrier employed by Okarno when the vehicle is stationary as near to the point of delivery designated by the Customer as is reasonably possible and the delivery note is tendered to the Customer or the recipient of the Goods where delivery is not directly to the Customer;

6.1.2 In all other cases when the Goods leave Okarno's premises.

6.2 Time for delivery is not of the essence and Okarno shall not be liable for any loss (including loss of profit), costs, charges, expenses or damage caused directly or indirectly by late delivery. Okarno shall not be liable for any non-delivery of Goods (even if caused by Okarno's negligence) unless written notice is given to Okarno within three working days of the date when the Goods would in the ordinary course of events have been received. Any liability of Okarno for non-delivery of the Goods shall be limited to replacing the Goods within a reasonable time or issuing a credit note at the pro rata Contract rate against any invoice raised for such Goods.

6.3 Okarno shall be entitled to make delivery by instalments and to invoice separately for each instalment. Where delivery is made by instalment, each instalment shall be construed as the subject of a separate agreement to which all the provisions of these conditions shall (with any necessary alterations) apply.

6.4 Where Okarno has agreed to deferred delivery such delivery shall be accepted by the Customer within three months from the date of the order. If the Customer fails to take delivery within such a period the risk shall pass to the Customer and the balance remaining undelivered together with storage costs shall be invoiced to the Customer and payment shall become immediately due.

6.5 Goods which the Customer agrees to collect ex-works must be collected within seven days of Okarno notifying the Customer that the Goods are ready. If the Goods are not collected within this period Okarno shall be entitled to invoice the Customer for the Goods and to charge for storage of the Goods, the Goods being held at the Customer's risk.

6.6 Deviations in quantity of the Goods delivered from those stated on the Contract shall not give the Customer the right to repudiate the Contract or to reject the Goods (save insofar as they materially exceed the amount ordered) or to claim damages for breach of Contract and the Customer shall be obliged to accept and pay at the Contract rate for the quantity delivered (except insofar as the Customer has the right to reject the Goods under this condition).

6.7 The Customer shall ensure that the point of delivery designated by the Customer and all access routes to it are reasonably accessible for motor transport and shall also take such further steps as are necessary including providing at the place of delivery unless otherwise agreed adequate equipment and manual labour for unloading and transporting the Goods.

7. Payment

7.1 The price of the Goods and additional charges (less any discount to which the Customer is entitled) shall be due and payable on the last working day of the month following that in which the invoice is dated. The time of payment of the price of the Goods shall be of the essence of the Contract.

7.2 If the Customer fails to make a payment in respect of any invoice on the due date:



7.2.1 All invoices for Goods delivered for which payment has not been received shall become immediately due and payable notwithstanding clause 7.1 or any previous agreement to the contrary.

7.2.2 Without prejudice to any other right or remedy available to Okarno, Okarno shall be entitled to:

7.2.2.1 Charge the Customer interest (both before and after judgment) on the amount unpaid in accordance with the terms of the Late Payment of Commercial Debt (interest) Act 1998 until actual payment on all overdue accounts; and / or

7.2.2.2 Cancel the Contract or suspend any further deliveries to the Customer; and / or

7.2.2.3 Set-off any amounts Okarno owes to the Customer by way of rebate payments, contract support payments or any other monies due from Okarno to the Customer against any monies owed by the Customer to Okarno.

7.3 Okarno reserves the right at any time to demand security for payment before continuing with or delivering any order.

7.4 The Customer shall make all payments due under the Contract without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Customer has a valid court order requiring an amount equal to such deduction to be paid by Okarno to the Customer.

8. Risk and Property

8.1 Risk in the Goods shall pass to the Customer when the Goods are delivered to or collected by the Customer or its agent.

8.2 Notwithstanding delivery and the passing of risk in the Goods the Goods shall remain the property of Okarno until the Customer has paid the full price for the Goods together with any interest payable in respect of the Goods and all other sums owing from it to Okarno under any Contract or any interest payable under any other Contract.

8.3 Until title to the Goods passes to the Customer the Customer shall hold the Goods as fiduciary agent and bailee for Okarno and shall keep the Goods in good and substantial repair and condition properly stored protected and insured and the Goods shall be stored in such a way as to be clearly identifiable as belonging to Okarno and shall hold the proceeds of the insurance on trust for Okarno and not mix them with any other money, nor pay the proceeds into an overdrawn bank account.

8.4 Until such time as the title in the Goods passes to the Customer (and provided the Goods are still in existence and have not been re-sold) Okarno shall be entitled at any time to require the Customer to deliver up the Goods to Okarno and if the Customer fails to do so forthwith to enter upon any premises of the Customer or any third party where the Goods are stored and repossess the Goods.

8.5 Okarno shall at any time be entitled to appropriate any payment made by the Customer in respect of any Goods in settlement of such invoices as Okarno may in its absolute discretion think fit notwithstanding any purported appropriation by the Customer.

9. Inspection - Shortages

9.1 The Customer shall carefully inspect the Goods immediately on delivery or on collection as the case may be and in the presence of Okarno or its carrier (as the case may be).

9.2 Okarno shall be under no liability for any defects or shortages or wrong deliveries that would be apparent on careful inspection if the terms of this clause are not complied with and in any event will be under no liability if the delivery note for the Goods is not endorsed with details of any defects or shortages or wrong deliveries and handed to Okarno or its carrier (as the case may be) and if a written complaint is not delivered to Okarno within three working days of delivery detailing the alleged defect or shortage or wrong delivery.

9.3 In all cases where the Customer complains of defects or shortages or wrong deliveries Okarno shall without prejudice to the question of liability generally be under no liability in any event if it has not received the written notices under condition 9.2 and if it has not been given an opportunity to inspect the Goods before they have been used by the Customer.

10. Warranty

10.1 Okarno warrants that it has title to and the right to sell the Goods.

10.2 No representation or warranty is given by Okarno as to the suitability or fitness of the Goods for any or any particular purpose and the Customer shall satisfy himself in this respect and shall be totally responsible therefore.

10.3 The Ordering and delivery guide should be read in conjunction with these conditions. In the event of conflict between the Ordering and delivery guide and these conditions then the terms of the Ordering and delivery guide shall apply.

11. Liability Exclusions

11.1 Each of the sub-clauses in this clause are to be treated as separate and independent.

11.2 Nothing in these conditions shall exclude or restrict Okarno's liability for death or personal injury caused by the negligence of Okarno or fraudulent misrepresentation.

11.3 Okarno is willing to undertake liability additional to that provided by this clause 11 in exchange for a higher price for the Goods.

11.4 Okarno will either repair the Goods at its own expense or at its option replace the Goods if any hidden



defects which Okarno is reasonably satisfied are caused by faulty design manufacture materials or workmanship which are discovered within three months from the date of despatch provided that Okarno shall not be liable for defects caused by abnormal use misuse or neglect or use other than in accordance with any applicable Okarno technical instructions or similar literature and provided further that the Customer informs Okarno of the relevant defect in writing within three working days of discovering it.

11.5 Other than the terms set out in these conditions and unless expressly agreed in writing by Okarno no other terms conditions or warranties expressed or implied statutory or otherwise shall form part of the Contract.

11.6 Okarno shall not be liable for any direct or indirect loss or damage, consequential loss, loss of profit, loss or depletion of goodwill or loss of business opportunity or any other loss suffered by the Customer or any damage to property of the Customer or anyone else whatsoever howsoever arising and whether or not caused by Okarno's negligence.

11.7 In the event that notwithstanding the foregoing provisions of this clause Okarno is found liable for any loss or damage suffered by the Customer then Okarno's total liability for any one claim or for the total of all claims arising from any one act or default of Okarno (whether arising from Okarno's negligence or otherwise) shall not in any event exceed the Contract price for the Goods.

12. Insolvency of Customer

If the Customer being a company shall pass a resolution or suffer an order of a court to be made for its winding up or goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction) or makes any voluntary arrangement with its creditors or becomes subject to an administration order or an encumbrancer takes possession or a receiver or administrative receiver is appointed over any of the assets or property of the Customer or being an individual or partnership shall suspend payment or propose to enter into any composition with creditors or becomes bankrupt or in either case becomes unable to pay its debts (or have no reasonable prospect of so doing) or threatens to cease to carry on business then without prejudice to any other right or remedy available to Okarno, Okarno shall be entitled to treat the Contract as repudiated or suspend any further deliveries or recover the possession of any Goods for which payment in full has not been received without liability to the Customer and if Goods have been delivered but not paid for the price of those Goods shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

13. Sample Goods

In no circumstances will Okarno sell its Goods by sample and the supply of sample Goods to Customers or prospective Customers is not intended to provide them with a contractual specification of the Goods or to constitute a sale or offer of sale by sample.

14. Health and Safety at Work

Okarno gives notice to the Customer that information and product literature is available concerning the conditions necessary to ensure that the Goods supplied under the Contract will be safe and without risk to health when used, handled, processed, stored or transported by a person at work. The Customer should immediately contact Okarno if he is not in possession of such information or literature.

15. Assignment

The Customer shall not assign or transfer or purport to assign and transfer any Contract to which these conditions apply or the benefit thereof to any other person whatsoever.

16. Force Majeure

Okarno shall not be liable for any delay in delivery or failure to deliver the Goods arising from circumstances outside Okarno's control including for example acts of God, war, riot, explosion, abnormal weather, fire, flood, pandemic, strikes, lock outs, Government action or Regulations (UK or otherwise) delays by suppliers, accidents and shortages of materials, labour or manufacturing facilities and reserves the right to defer the date of delivery or to cancel the Contract.

17. Cancellation

No cancellation by the Customer is permitted unless expressly agreed by Okarno in writing. In the event of a cancellation, the Customer shall pay the appropriate cancellation charge as set out in the "supporting your business" section, under Order cancellation.

18 Notices

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the receiving party's usual place of business or its registered office or such other address as that party may from time to time notify in writing and shall be deemed to have been served and sent by post 48 hours after posting. Okarno's registered office address: Okarno Limited, Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU

19. Group Members

Okarno may perform any of its obligations or exercise any of its rights hereunder by itself or through any other member of its group, provided that any act or omission of any such other member shall be deemed to be the act or omission of Okarno.

20. Rights of Third Parties

The parties do not intend that any term of the Contract



will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person who is not a party to it.

21. Waiver

No waiver by Okarno of any breach of the Contract by the Customer shall be considered as a waiver of any subsequent breach of the same or any other provision.

22. Jurisdiction

All Contracts between Okarno and the Customer shall be governed and construed in accordance with English law and all disputes arising in relation to such Contracts shall be submitted to the exclusive jurisdiction of the English courts save that Okarno retains the right to take proceedings in any other court of competent jurisdiction.

23. Headings

Headings in these conditions are for ease of reference only and do not form part of the conditions and shall not be deemed to alter or affect the meaning of any of the conditions.

24. Bribery Act Compliance

The Customer shall ensure that in any dealings with Okarno, neither it or its employees or agents shall commit any offence under the Bribery Act 2010 ("the Act") including not engaging in any activity, practice or conduct which would constitute an offence under sections 1, 2 or 6 of the Act. The Customer shall inform Okarno immediately it becomes aware of any actions between the parties that could constitute an offence under the Act.

25. Sanctions Compliance

25.1 It is Okarno and its group's policy to comply with all applicable sanctions and legal requirements for the import and export of goods, technology and services. Okarno is committed to ensuring compliance with all regulatory and licensing requirements relating to international trade. Okarno does not permit the supply of any of its goods to any individuals, companies or organisations that are subject to any trade, economic or financial sanctions, embargoes or similar restrictive measures administered, enacted or enforced by the UK, EU, UN or USA ("Sanctioned Entities"). By entering in to this Contract the Customer agrees not to re-sell or otherwise transfer the Goods, either directly or indirectly, to any Sanctioned Entities.

26. Export terms

26.1 In these conditions "Incoterms" means the international rules for the interpretation of trade terms of the International Chamber of Commerce as in force at the date when the Contract is made. Unless the

context otherwise requires, any term or expression which is defined in or given a particular meaning by the provisions of Incoterms shall have the same meaning in these conditions, but if there is any conflict between the provisions of Incoterms and these conditions, these conditions shall prevail.

26.2 Where the Goods are supplied for export from the United Kingdom, the provisions of this condition 26 shall (subject to any special terms agreed in writing between the Customer and Okarno) apply notwithstanding any other provision of these conditions.

26.3 The Customer shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and for the payment of any duties on them.

26.4 Where Okarno agrees with the Customer that it will be responsible for delivering the Goods the Goods shall (unless agreed otherwise in writing between Okarno and the Customer) be delivered FOB to the air or sea port of shipment and Okarno shall be under no obligation to give notice under s.32(3) of the Sale of Goods Act 1979.

26.5 The Customer shall be responsible for arranging for testing and inspection of the Goods at Okarno's premises before shipment. Okarno shall have no liability for any claim in respect of any defect in the Goods which would be apparent on inspection and which is made after shipment, or in respect of any damage during transit.

26.6 The Customer shall be liable for and shall indemnify and hold Okarno harmless from any and all liability, loss, claims, damages and costs, which Okarno may sustain or incur, arising out of or in any way connected with the Customer's failure to comply with Conditions 26.3 or 25.

27. Data Protection

27.1 For the purposes of this condition 27, (a) "Applicable Data Protection Laws" means (i) to the extent the UK GDPR applies, the law of the United Kingdom or of a part of the United Kingdom which relates to the protection of personal data; (ii) to the extent the EU GDPR applies, the law of the European Union or any member state of the European Union to which the Customer is subject, which relates to the protection of personal data, in each case, as updated, amended or replaced from time to time; (b) "EU GDPR" means the General Data Protection Regulation ((EU) 2016/679), as it has effect in EU law; (c) "UK GDPR" has the meaning given to it in section 3(10) (as supplemented by section 205(4)) of the Data Protection Act 2018; in each case, as updated, amended or replaced from time to time; and (d) the terms "Data Subject", "Personal Data", "processing", "processor" and "controller" shall have the meanings set out in the UK GDPR.

27.2 Each party shall comply with the provisions and obligations imposed on it by the Applicable Data Protection Laws when processing Personal Data in connection with these conditions. Such processing shall continue for so long as these conditions are in force and shall be in respect of the following:

27.2.1 Categories of data: Contacts within each of the parties and the ultimate customer details;



27.2.2 Types of personal data: names, addresses, email addresses, telephone numbers and other contact details;

27.2.3 Purpose and nature of processing: (i) manage the Contracts between the parties including ordering, fulfilment and billing and (ii) fulfilment of such Contracts by delivering goods.

27.3 To the extent that a party processes any Personal Data on behalf of the other party, the processing party shall: (a) comply with the provisions and obligations imposed on a processor by the Applicable Data Protection Laws, and any stipulations set out in the Applicable Data Protection Laws as to what shall be included in the Contract between the parties shall form a part of, and are incorporated into, these conditions as if they were set out in full, and any reference to "documented instructions" (or similar) shall include the provisions of these conditions; and (b) not disclose any Personal Data to any Data Subject or to a third party other than at the written request of the other party or as expressly provided for in these conditions.

27.4 The Customer agrees that Okarno may engage third party providers including any advisers, contractors, or auditors to process Personal Data ("Sub-Processors"). Okarno shall ensure that its contract with each Sub-Processor shall impose obligations in relation to the processing of Personal Data on the Sub-Processor that are materially equivalent to the obligations to which Okarno is subject to under these conditions in relation to the processing of Personal Data.

27.5 If either party receives any complaint, notice or communication which relates to the processing of Personal Data by the other party or to either party's compliance with the Applicable Data Protection Laws, or if any Personal Data processed in connection with these conditions is subject to a personal data breach (as defined in the UK GDPR), it shall immediately notify the other party and provide the other party with reasonable co-operation and assistance in relation to any such complaint, notice, communication or personal data breach.



A

Access Panels	62
Angle Bead	38
Aquabead	31
Artex	
Sealer	38
Textured Finish	58
Texture Repair	58

B

Beads	31, 69
Blue Hawk	
Cement and Mortar	72 - 73
BoardFinish	36
Bond-it	38
BondingCoat & Bonding 60	35

C

'C' Stud	47
Cement	72 - 73
Cornice	52
Corner Tape	31
Cove	52 - 53
Cove Adhesive	54
Cove Corners	54
Cove Mitre Block	54
Cove Mitre Box	54

D

Dalapro	
Roll Nova	23
Speed Max Roller	23
DriWall Adhesive	45
Drywall Primer	46
Drywall Sealer	46
DUPLEX Plasterboard	43

E

EasiFill 20	21
EasiFill 45	21
EasiFill 60	21
EasiFill	21
EasiFiller	22
EasiFiller Light	22
EasiFiller Finish	22
EasiFix Cove 100	53
EasiFix Cove 127	53
EasiFix Pre-Mitred Corners	54
EasiFix Repair Kits	24, 59
EasiFix Universal Mitre Block	54
EasiPatch Plasterboard Patches	24

F

FastSet Finish Plaster	36
FEA1	47
FibaTape	29
Finishing Plaster	20, 36, 37
FireLine Plasterboard	42
Firestrip 3600	45

G

Gyproc	
Cove Adhesive	54
Cove and Cornice	52 - 53
DriWall Adhesive	45
DryWall Primer	46
DryWall Sealer	46
EasiPatch Plasterboard Patches	24
Firestrip 3600	45
Jointing Compounds	28
Joint Tapes and Beads	29 - 31
Plasterboard	42 - 45
Powder Fillers	21
Ready Mixed Fillers	22
Sealant	46
GypFrame 48 S 50 'C' Stud	47
GypFrame 50 FEC 50 Folded Edge	47
GypFrame FEA1 Folded Edge Steel Angle	47
GypFrame GL1 Channel	48
GypFrame GL8 Track	48

H

Handi-Access Panels	62
HandiBoard	42 - 43
HardWall	35

J

Joint Filler	28
Joint Tape	29 - 30

L

Levelline Corner Tape	31
-----------------------	----

M

Mesh Cloth	68
Magnetic Plaster	37
Mitre Block	54
Mitre Box	54
Moisture Resistant Plasterboard	43
Mortar Mix	73
Moisture Resistant HandiBoard	43
MultiFinish	36



Index

O

One Coat Plaster 20, 34

P

Plasters 20, 34 - 37
Plaster Angle Bead 38
Plasterboard Patches 24
Plasterboard Tape 29 - 31
Pre-Mitred Corners 54
Primer 46
ProMix Lite 28
ProTape FT50 30

Q

QuickSand 28
Quick Set Cement 72

R

Ready Mixed Textured Finish 58
Render and Render Finishes 66 - 67
Repair Kits 24, 59

S

Sand & Cement Mortar Mix 73
Sealant 46
Sealer 38, 46
SoundBloc Plasterboard 43
Standard Floor & Ceiling Channel 47

T

Texture Repair 58 - 59
Texture Repair Kit 59
Textured Finish 58
ThermaLine BASIC Plasterboard 44
ThermaLine PLUS Plasterboard 44
Thin Coat Angle Bead 38

Thistle

Angle Bead 38
Bond-It 38
FastSet Finish Plaster 36
Magnetic Plaster 37
ProTape FT50 30
TileBacker 45

U

Undercoat Plaster 20, 34
Universal Mitre Block 54

W

WallBoard Plasterboard 22, 43
WallBoard Duplex Plasterboard 43
Wall Repair Kit 24

Weber

weber Accelerator 68
weber CL150 69
weber Mesh Cloth 68
weber PVC Bead 15mm 69
weberend aid 67
weberend Bead Adhesive 69
weberend OCR 67
weberend Protect 69
weberfloor Fibre Rapid 4320 73
weberpral M 66



Notes

Okarno® Ltd

Head Office
Pasture Lane
Ruddington
Nottingham NG11 6AE

okarnold.com

0800 032 6345

©Okarno January 2026

