



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008

Revision date 06-Oct-2025

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code(s) 5200572315
Product Name Artex Sealer (2.5 L)
Synonyms None
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealer
Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

Gyproc Ireland
Unit 4
Kilcarbery Business Park
Nangor Rd
Dublin 22
D22 R2Y7
Ireland
Tel: +353 (0)1 629 8444

Okarno Ltd
Pasture Lane
Ruddington
Nottingham
Nottinghamshire
NG11 6AE
Tel: +44 (0) 800 032 6345

For further information, please contact

E-mail address OkarnoTechnical@saint-gobain.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 800 032 6345 (9am - 5pm, Monday to Friday)

Emergency telephone - §45 - (EC)1272/2008
Europe 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation	Category 1 - (H317)
--------------------	---------------------

2.2. Label elements

Contains 2-Methyl-2H-isothiazol-3-one; 1,2-Benzisothiazol-3(2H)-one; Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P280 - Wear protective gloves, protective clothing, eye protection and face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/ container in accordance with national regulations.

Biocide Labelling: Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one, Bronopol, CMIT/MIT(3:1) to prevent microbial deterioration

2.3. Other hazards

Other hazards No information available.

PBT or vPvB properties None known.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Titanium dioxide 13463-67-7	5 - 10	-	236-675-5 (022-006-00-2)	[C]	-	-	-	-
Calcium carbonate 471-34-1	2 - 5	01-2119486795-18-XXXX	207-439-9	[C]	-	-	-	-
Silicic acid, calcium	1 - 2	01-2119803082-	215-710-8	[C]	-	-	-	-

salt 1344-95-2		54-XXXX						
1,2-Benzisothiazol-3(2H)-one 2634-33-5	<0.025	-	220-120-9 (613-088-00-6)	Acute Tox. 4 (H302) Acute Tox. 2 (H330) Skin Irrit. 2 (H315) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Skin Sens. 1A :: C>=0.036%	1	1	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.0015 - <0.025	-	220-239-6 (613-326-00-9)	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Skin Sens. 1A :: C>=0.0015%	10	1	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.00025 - <0.0015	-	(613-167-00-5)	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Skin Corr. 1C (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1A :: C>=0.0015% Eye Dam. 1 :: C>=0.6%	100	100	B

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Titanium dioxide 13463-67-7	2002	No data available	5.0951	No data available	No data available
Calcium carbonate 471-34-1	>2000	>2000	-	-	-
Silicic acid, calcium salt 1344-95-2	5005	No data available	No data available	No data available	No data available
1,2-Benzisothiazol-3(2H)-one 2634-33-5	450 + 1020	2002	0.21 +	No data available	No data available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
2-Methyl-2H-isothiazol-3-one 2682-20-4	120	242	0.11	-	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	53	87.12	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATE_{mix}) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. Get medical attention if any discomfort continues.
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Prolonged inhalation of high concentrations may damage respiratory system. Stomach pain. May cause temporary eye irritation.
Effects of Exposure	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the
-------------------------------------	--

surrounding environment. Alcohol resistant foam. Carbon dioxide (CO₂). Water spray or fog. Dry powder.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Product is or contains a sensitiser. May cause sensitisation by skin contact.

Hazardous combustion products Harmful gases or vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Cool containers with flooding quantities of water until well after fire is out. Avoid inhalation of material or combustion by-products. Evacuate area.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Wash thoroughly after handling. Do not touch damaged packages or spilled material.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Flush area with flooding quantities of water. Clear up spills immediately and dispose of waste safely. Wear personal protective clothing (see section 8). Small spill: Wipe up with absorbent material (eg. cloth, fleece). Large spill: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dispose of wastes in an approved waste disposal facility. Wash thoroughly after handling.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Keep out of reach of children. Keep away from food, drink and animal feedingstuffs.

General hygiene considerations Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Change work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) LGK 10.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	Austria	Belgium	Bulgaria	Croatia
Titanium dioxide 13463-67-7	TWA-TMW: 5 mg/m ³ ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m ³ (2 X 60 min); alveolar dust, respirable fraction C	TWA: 10 mg/m ³ ;	TWA: 10.0 mg/m ³ ; respirable dust	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
Calcium carbonate 471-34-1	-	-	-	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
Silicic acid, calcium salt 1344-95-2	-	TWA: 10 mg/m ³ ;	-	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
2-Methyl-2H-isothiazol-3-one 2682-20-4	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	TWA-TMW: 0.05 mg/m ³ ; DS	-	-	-
Chemical name	Cyprus	Czech Republic	Denmark	Estonia
Titanium dioxide 13463-67-7	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;	TWA: 5 mg/m ³ ;
Silicic acid, calcium salt 1344-95-2	-	-	-	TWA: 10 mg/m ³ ;
Chemical name	Finland	France	Germany TRGS	Germany DFG
Titanium dioxide 13463-67-7	-	TWA-VME: 10 mg/m ³ ;	TWA-AGW; 10 mg/m ³ (2(II)); inhalable fraction TWA-AGW;	TWA-MAK: 0.3 mg/m ³ ; I I(8); respirable fraction

			1.25 mg/m ³ (); respirable fraction	
Calcium carbonate 471-34-1	-	TWA-VME: 10 mg/m ³ ;	-	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	-	TWA-MAK: 0.2 mg/m ³ ; I (2); inhalable fraction
Chemical name	Greece	Hungary	Italy MDLPS	Italy AIDII
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-	-	TWA: 10 mg/m ³ ;
Silicic acid, calcium salt 1344-95-2	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-	-	TWA: 1 mg/m ³ ; inhalable fraction
Chemical name	Ireland	Latvia	Lithuania	Luxembourg
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³ ; total inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ (calculated); res pirable dust STEL: 12 mg/m ³ (calculated);	TWA: 10 mg/m ³ ;	TWA-IPRD: 5 mg/m ³ ;	-
Calcium carbonate 471-34-1	-	TWA: 6 mg/m ³ ;	-	-
Silicic acid, calcium salt 1344-95-2	TWA: 1 mg/m ³ ; non fibrous particles TWA: 1 f/cc; fibrous particles STEL: 3 mg/m ³ (calculated); non fibrous particles STEL: 3 mg/m ³ (calculated); fibr ous particles	-	-	-
Chemical name	Malta	Netherlands	Norway	Poland
Titanium dioxide 13463-67-7	-	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 10 mg/m ³ ; inhalable fraction STEL-NDSch: 30 mg/m ³ ;
Calcium carbonate 471-34-1	-	-	-	TWA-NDS: 10 mg/m ³ ; inhalable fraction
Chemical name	Portugal	Romania	Slovakia	Slovenia
Titanium dioxide 13463-67-7	TWA (VLE-MP): 10 mg/m ³ ;	TWA: 10 mg/m ³ ; STEL: 15 mg/m ³ ;	TWA: 5 mg/m ³ ;	-
Silicic acid, calcium salt 1344-95-2	TWA (VLE-MP): 10 mg/m ³ ;	-	-	-
Chemical name	Spain	Sweden	Switzerland	United Kingdom
Titanium dioxide 13463-67-7	TWA-(VLA-ED): 10 mg/m ³ ;	TLV-NGV: 5 mg/m ³ ; total dust	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable
Calcium carbonate	-	-	TWA-MAK: 3 mg/m ³ ;	TWA: 10 mg/m ³

471-34-1			respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 4 mg/m ³
Silicic acid, calcium salt 1344-95-2	TWA-(VLA-ED): 10 mg/m ³ ;	-	TWA-MAK: 3 mg/m ³ ; respirable dust	TWA: 10 mg/m ³ ; inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ ; inhalable dust STEL: 12 mg/m ³ ; respirable dust
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	TWA-MAK: 0.2 mg/m ³ ; inhalable dust STEL-KZGW: 0.4 mg/m ³ ; inhalable dust	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	-	-	TWA-MAK: 0.2 mg/m ³ ; inhalable dust STEL-KZGW: 0.4 mg/m ³ ; inhalable dust S	-

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate 471-34-1	-	-	6.36 mg/m ³ [5] [6]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	-	-	0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

Notes

- [4] Systemic health effects.
- [5] Local health effects.
- [6] Long term.
- [7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate 471-34-1	6.1 mg/kg bw/day [4] [6] 6.1 mg/kg bw/day [4] [7]	-	1.06 mg/m ³ [5] [6]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	-	-	1.2 mg/m ³ [4] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.027 mg/kg bw/day [4] [6] 0.053 mg/kg bw/day [4] [7]	-	0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	0.09 mg/kg bw/day [4] [6] 0.11 mg/kg bw/day [4] [7]	-	0.02 mg/m ³ [5] [6] 0.04 mg/m ³ [5] [7]

Chemical name	Oral	Dermal	Inhalation
55965-84-9			

Notes

- [4] Systemic health effects.
- [5] Local health effects.
- [6] Long term.
- [7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Silicic acid, calcium salt 1344-95-2	4 mg/L	-	-	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	4.03 µg/L	1.1 µg/L	0.403 µg/L	110 ng/L	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Calcium carbonate 471-34-1	-	-	100 mg/L	-	-
Silicic acid, calcium salt 1344-95-2	-	-	100 mg/L	-	-
1,2-Benzisothiazol-3(2H)-one 2634-33-5	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	-
2-Methyl-2H-isothiazol-3-one 2682-20-4	-	-	0.23 mg/L	0.0471 mg/kg soil dw	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	0.027 mg/kg sediment dw	0.027 mg/kg sediment dw	0.23 mg/L	0.01 mg/kg soil dw	-

8.2. Exposure controls

- Engineering controls**
- Showers
 - Eyewash stations
 - Ventilation systems.

Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. Gloves must conform to standard EN 374.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	White liquid
Physical state	Liquid
Colour	White
Odour	Characteristic
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point		Not determined
Boiling point or initial boiling point and boiling range		Not determined
Flammability		No data available
Lower and upper explosion limit/flammability limit		
Lower explosion limit		Not determined
Upper explosion limit		Not determined
Flash point		Not determined
Autoignition temperature	> 400 °C	
Decomposition temperature		No data available
SADT (°C)		No data available
pH		Not determined
pH (as aqueous solution)		No data available
Kinematic viscosity		Not determined
Dynamic viscosity		No data available
Water solubility		No data available
Solubility		No data available
Partition coefficient n-octanol/water (log value)		No data available
Vapour pressure		Not determined
Density and/or relative density		Not determined
Bulk density		No data available
Liquid Density		Not determined
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

Molecular weight	No information available
-------------------------	--------------------------

VOC content 3.8093 g/L
Softening point No information available

9.2.1. Information with regards to physical hazard classes

Explosives

Explosive properties Not considered to be explosive

Oxidising properties Does not meet the criteria for classification as oxidizing

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reactivity hazard is expected.

10.2. Chemical stability

Stability Stable under recommended storage conditions. Stable at normal ambient temperatures and when used as recommended.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Inhalation of vapours in high concentration may cause irritation of respiratory system.

Eye contact Specific test data for the substance or mixture is not available. May cause temporary eye irritation.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available. May cause gastrointestinal discomfort.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Prolonged inhalation of high concentrations may damage respiratory system. Stomach pain. May cause temporary eye irritation.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
Calcium carbonate	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	>3 mg/L (Rat) 4h
Silicic acid, calcium salt	> 5000 mg/kg (Rat)	-	-
1,2-Benzisothiazol-3(2H)-one	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
2-Methyl-2H-isothiazol-3-one	= 120 mg/kg (Rat)	= 242 mg/kg (Rat)	= 0.11 mg/L (Rat) 4 h
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	= 53 mg/kg (Rat)	= 87.12 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information					
Calcium carbonate (471-34-1)					
Exposure route	Effective dose	Method	Species	Exposure time	Results
Dermal	0.5 g	OECD Test No. 404: Acute Dermal Irritation/Corrosion		4 hours	non-irritant

2-Methyl-2H-isothiazol-3-one (2682-20-4)

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium dioxide	Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disruption for human health Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met. However, large or frequent spills may have hazardous effects on the environment.

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Calcium carbonate	LC50: > 100% (96h, Oncorhynchus mykiss)	EC50: > 100% (96h, Daphnia magna)	-	-
2-Methyl-2H-isothiazol-3-one	LC50: 4.77 mg/L (96h, Oncorhynchus mykiss)	LC50: 0.934 mg/L (48h, Daphnia magna)	EC50: >0.072 mg/L (72h, Skeletonema costatum)	EC50: 41 mg/L (3h, Activated sludge)

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
1,2-Benzisothiazol-3(2H)-one	0.99	-	-
2-Methyl-2H-isothiazol-3-one	-0.486	-	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	0.7	54	-

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide	Not PBT/vPvB
Calcium carbonate	Not PBT/vPvB
Silicic acid, calcium salt	Not PBT/vPvB
1,2-Benzisothiazol-3(2H)-one	Not PBT/vPvB
2-Methyl-2H-isothiazol-3-one	Not PBT/vPvB

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Not PBT/vPvB
---	--------------

12.6. Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Reuse or recycle wherever possible.

Contaminated packaging Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IATA Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments No information available

RID Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

ADR Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated

2-Methyl-2H-isothiazol-3-one 2682-20-4	75	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	75	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Calcium carbonate 471-34-1	Plant protection agent

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives
2-Methyl-2H-isothiazol-3-one 2682-20-4	Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives Product-type 6: Preservatives for products during storage
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	Product-type 2: Disinfectants and algacides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report

No information available.

SECTION 16: Other information

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

- H301 - Toxic if swallowed
- H302 - Harmful if swallowed
- H310 - Fatal in contact with skin
- H311 - Toxic in contact with skin
- H312 - Harmful in contact with skin
- H314 - Causes severe skin burns and eye damage
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H330 - Fatal if inhaled
- H335 - May cause respiratory irritation
- H400 - Very toxic to aquatic life
- H410 - Very toxic to aquatic life with long lasting effects
- P261 - Avoid breathing dust, fume, gas, mist, vapors and spray
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P280 - Wear protective gloves
- P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
- P321 - Specific treatment (see supplemental first aid instructions on this label)
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
- P362 + P364 - Take off contaminated clothing and wash it before reuse
- P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China

IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labour and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation

dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 U.S. Environmental Protection Agency
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Issuing Date 13-Nov-2024
Revision date 06-Oct-2025
Revision Note Document reviewed. SDS sections updated: 3.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet